

according to Regulation (EC) No 1907/2006

3Delta HEAR S (opak)

Revision date: 06.12.2017

Product code: 1620010-1620060

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3Delta HEAR S (opak)

Further trade names

3Delta HEAR pink S, 1620010 3Delta HEAR tan S, 1620020 3Delta HEAR mocca S, 1620030 3Delta HEAR beige S, 1620040 3Delta HEAR cocoa S, 1620050 3Delta HEAR brown S, 1620060

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

light curing resin for hearing aid devices

1.3. Details of the supplier of the safety data sheet

Company name:	Deltamed GmbH	
Street:	Raiffeisenstr. 8a	
Place:	D-61169 Friedberg	
Telephone:	+49 6031 7283-0	Telefax: +49 6031 7283-29
e-mail:	info@deltamed.de	
Internet:	www.deltamed.de	
Responsible Department:	F&E	
	Telefax +49 6031 7283-29	
1.4. Emergency telephone	Giftinformationszentrum Universität	sklinikum Mainz
number:	Telefon +49 6131 19240	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Respiratory or skin sensitisation: Skin Sens. 1A Hazardous to the aquatic environment: Aquatic Chronic 2 Hazard Statements: May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Dimethacrylate Diacrylat phosphine oxide

Signal word:

Warning

Pictograms:



Hazard statements

ŀ	13	17
ŀ	1 4 [·]	11

May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.



according to Regulation (EC) No 1907/2006

3Delta HEAR S (opak)

Revision date: 06.12.2017

Product code: 1620010-1620060

Page 2 of 9

Precautionary statements

P261	Do not breathe vapour/aerosol.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local regulation.

2.3. Other hazards

Polymerization with heat evolution may occur in the presence of radical forming substances (e.g. peroxides), reducing substances, and/or heavy metal ions.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name	Chemical name		Quantity
	EC No	Index No	REACH No	
	Classification according to Regula	tion (EC) No. 1272/2008 [CLP]		
	Dimethacrylate			50 - 85 %
	Skin Sens. 1, Aquatic Chronic 3; H	I317 H412		
	Diacrylat			20 - 50 %
	Skin Sens. 1, Aquatic Chronic 2; H	 317 H411		
	phosphine oxide			< 3 %
	Skin Sens. 1A, Aquatic Chronic 4;	H317 H413		

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Medical treatment is necessary if symptoms occur which are obviously caused by skin or eye contact with the product or by inhalation of its vapours. Take off all contaminated clothing immediately.

After inhalation

Provide fresh air. Medical treatment necessary.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Immediately remove any contaminated clothing, shoes or stockings. Medical treatment necessary.

After contact with eyes

After eye contact: Rinse immediately carefully and thoroughly with eye-bath or water. Consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Medical treatment necessary.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

according to Regulation (EC) No 1907/2006

3Delta HEAR S (opak)

Revision date: 06.12.2017

Product code: 1620010-1620060

Page 3 of 9

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Foam. Extinguishing powder Carbon dioxide

Unsuitable extinguishing media

High power water jet

5.2. Special hazards arising from the substance or mixture

In case of fire may be liberated: Carbon monoxide Carbon dioxide Hazardous decomposition products

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Larger quantities: Take up mechanically (by pumping). Smaller quantities and/or residues: Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

In the event of fire, cool the endangered containers with water. Keep away from sources of ignition --- No smoking. Take precautionary measures against static discharges. When heated above the flash point and/or during spraying (atomizing), ignitible mixtures may form in air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Protect from the action of light. Keep only in the original container at a temperature between 4 -25 °C. Can polymerize with intense heat release.Keep container tightly closed.

Advice on storage compatibility

No special measures are necessary.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls



according to Regulation (EC) No 1907/2006

3Delta HEAR S (opak)

Revision date: 06.12.2017

Product code: 1620010-1620060

Page 4 of 9

Appropriate engineering controls

Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

It is essential for pregnant women to avoid inhaling the product and not to let it come in contact with the skin. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

tightly fitting goggles

Hand protection

butyl rubber gloves (0.7 mm), Break through time ca. 60 min (EN 374). Gloves should be replaced regularly, especially after extended contact with the product. For each work-place a suitable glove type has to be selected.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Breathing apparatus in case of high concentrations, short term: filter appliance, filter A In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	liquid
Colour:	various, depending on coloration
Odour:	characteristic
pH-Value:	not determined
Changes in the physical state	
Melting point:	not determined
Initial boiling point and boiling range:	not determined
Flash point:	> 150 °C
Flammability	
Solid:	not applicable
Gas:	not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Auto-ignition temperature	
Solid:	not applicable
Gas:	not applicable
Decomposition temperature:	not determined
Vapour pressure:	not determined
Density:	not determined
Water solubility:	The study does not need to be conducted
	because the substance is known to be insoluble in water
Solubility in other solvents	
The substance is not soluble in water.	
Partition coefficient:	not determined
Viscosity / dynamic:	not determined
Vapour density:	not determined



according to Regulation (EC) No 1907/2006

	3Delta HEAR S (opak)	
Revision date: 06.12.2017	Product code: 1620010-1620060	Page 5 of 9
Evaporation rate:	not determined	
9.2. Other information		
Solid content:	not determined	
Product has not been tested. The sta	tement is derived from the properties of the components.	
SECTION 10: Stability and reactivity	у	

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Polymerization with heat evolution may occur in the presence of radical forming substances (e.g. peroxides), reducing substances, and/or heavy metal ions.

10.4. Conditions to avoid

Protect from the action of light. Keep only in the original container at a temperature between 4 -25 °C. Can polymerize with intense heat release.

10.5. Incompatible materials

Oxidising agent, Reducing agent, Heavy metals, acids, Alkali (lye)

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
	Dimethacrylate				
	oral	LD50 >2000 mg/kg	Rat	OECD 401	
	Diacrylat				
	oral	LD50 > 2000 mg/kg	Rat		
	dermal	LD50 > 2000 mg/kg	9 Rabbit		
	phosphine oxide				
	oral	LD50 > 2000 mg/kg	Rat		
	dermal	LD50 > 2000 mg/kg	Rat		

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Sensitising effects

May cause an allergic skin reaction. (Dimethacrylate; Diacrylat; phosphine oxide)

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

3Delta HEAR S (opak)

Revision date: 06.12.2017

Product code: 1620010-1620060

Page 6 of 9

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

Further information

Product has not been tested. The statement is derived from the properties of the components.

SECTION 12: Ecological information

12.1. Toxicity

Aquatic toxicity: The classification criteria for this hazard class are not met by definition.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
	phosphine oxide						
	Acute fish toxicity	LC50 mg/l	(> 0,09)		Brachydanio rerio (zebra-fish)		
	Acute crustacea toxicity	EC50 mg/l	(> 1,175)		Daphnia magna (Big water flea)		

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
	Dimethacrylate			
	Biodegradation	22 %	28	OECD 301 F

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow uncontrolled discharge of product into the environment. Do not allow to enter into surface water or drains.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

according to Regulation (EC) No 1907/2006

Revision date: 06.12.2017	3Delta HEAR S (opak) Product code: 1620010-1620060	Page 7 of 9
	IC CHEMICAL PROCESSES; wastes from the MFSU of plastics, synthetic res; other still bottoms and reaction residues; hazardous waste	
Waste disposal number of used product		
	IC CHEMICAL PROCESSES; wastes from the MFSU of plastics, synthetic res; other still bottoms and reaction residues; hazardous waste	
Waste disposal number of contaminated		
	IC CHEMICAL PROCESSES; wastes from the MFSU of plastics, synthetic res; other still bottoms and reaction residues; hazardous waste	
Contaminated packaging		
This material and its container must be same way as the substance itself.	e disposed of as hazardous waste. Handle contaminated packages in the	
SECTION 14: Transport information		
Land transport (ADR/RID)		
<u>14.1. UN number:</u>	UN 3082	
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACRYLATED RESIN)	
14.3. Transport hazard class(es):	9	
14.4. Packing group:	III	
Hazard label:	9	
Classification code:	M6	
Special Provisions:	274 335 375 601	
Limited quantity:	5 L	
Excepted quantity: Transport category:	E1 3	
Hazard No:	90	
Tunnel restriction code:	-	
Inland waterways transport (ADN)		
<u>14.1. UN number:</u>	UN 3082	
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACRYLATED RESIN)	
14.3. Transport hazard class(es):	9	
14.4. Packing group:		
Hazard label:	9	
Classification code:	9 M6	
Special Provisions:	274 335 375 601	
Limited quantity:	5 L	
Excepted quantity:	E1	
Marine transport (IMDG)		
<u>14.1. UN number:</u>	UN 3082	
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACRYLATED RESIN)	
14.3. Transport hazard class(es):	9	
14.4. Packing group:	III	
Hazard label:	9	
Special Provisions:	274, 335, 969	
Limited quantity:	5 L	
Excepted quantity:	E1 EASE	

EmS:

F-A, S-F



according to Regulation (EC) No 1907/2006

	3Delta HEAR S (opak)	
Revision date: 06.12.2017	Product code: 1620010-1620060	Page 8 of 9
Air transport (ICAO-TI/IATA-DGR)		
<u>14.1. UN number:</u>	UN 3082	
14.2. UN proper shipping name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ACRYLATED RESIN)	
14.3. Transport hazard class(es):	9	
14.4. Packing group:	III	
Hazard label:	9	
Special Provisions:	A97 A158 A197	
Limited quantity Passenger:	30 kg G	
Passenger LQ:	Y964	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	964	
IATA-max. quantity - Passenger:	450 L	
IATA-packing instructions - Cargo:	964	
IATA-max. quantity - Cargo:	450 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	yes	
Danger releasing substance:	(ACRYLATED RESIN)	
14.6. Special precautions for user No information available. 14.7. Transport in bulk according to Annex not applicable	II of Marpol and the IBC Code	
SECTION 15: Regulatory information		
	Ilations/legislation specific for the substance or mixture	
EU regulatory information	nationsnegislation specific for the substance or mixture	
Additional information		
Observe employment restrictions for y and nursing (Directive 92/85/EEC).	roung people. Observe employment restrictions for child bearing mothers	
National regulatory information		
Water contaminating class (D):	2 - clearly water contaminating	
15.2. Chemical safety assessment	,	
	stances in this mixture were not carried out.	
SECTION 16: Other information		
(European Agreement concerning the IMDG: International Maritime Code for IATA: International Air Transport Asso	ciation Classification and Labelling of Chemicals	

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%



according to Regulation (EC) No 1907/2006

3Delta HEAR S (opak)

Revision date: 06.12.2017

Product code: 1620010-1620060

Page 9 of 9

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Skin Sens. 1A; H317	Calculation method
Aquatic Chronic 2; H411	Calculation method

Relevant H and EUH statements (number and full text)

H317	May cause an allergic skin reaction.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)